

POWER ANY



THROUGH PROJECT

WITH OUR DIAMOND DISCS!

NEW



GREENi-shop.eu





Red Mountain[®]
Light

LASER WELDING FOR ASPHALT - WET CUTTING

Diamond saw blade

- Laser welding
- For asphalt
- Wet cutting



	Ø	Ø axle hole	Segment size	Number of segments	pieces	Order nr.	
	300 mm	25,4 mm	40x3.0x8/10 mm	18	1	RM74-LASW30018	
	350 mm	25,4 mm	40x3.2x8/10 mm	21	1	RM74-LASW35021	
	400 mm	25,4 mm	40x3.4x8/10 mm	24	1	RM74-LASW40024	

LASER WELDING FOR GRANITE - WET CUTTING

Diamond saw blade

- Laser welding
- For granite
- Wet cutting



	Ø	Ø axle hole	Segment size	Number of segments	pieces	Order nr.	
	300 mm	25,4 mm	40x3.0x8/10 mm	20	1	RM74-LGRW30020	
	350 mm	25,4 mm	40x3.2x8/10 mm	24	1	RM74-LGRW35024	
	400 mm	25,4 mm	40x3.4x8/10 mm	28	1	RM74-LGRW40028	

S.A. Garden Machinery N.V.

Legen Heirweg 15 >> 9890 Asper >> BELGIUM

Tel. 0032 9 384 25 89 >> Fax 0032 9 384 66 47 >> order@garden-machinery.com

our webshop: www.greeni-shop.eu



LASER WELDING FOR CONCRETE - WET CUTTING

Diamond saw blade
- Laser welding
- For concrete
- Wet cutting





	Ø	Ø axle hole	Segment size	Number of segments	pieces	Order nr.	
	230 mm	22,23 mm	38x2.6x8/10 mm	16	1	RM74-LCOW23016	
	300 mm	25,4 mm	40x3.0x8/10 mm	20	1	RM74-LCOW30020	
	350 mm	25,4 mm	40x3.2x8/10 mm	24	1	RM74-LCOW35024	
	400 mm	25,4 mm	40x3.4x8/10 mm	28	1	RM74-LCOW40028	

CONQUER EVERY TASK WITH OUR DIAMOND DISCS!

LASER WELDING FOR UNIVERSAL - WET CUTTING

Diamond saw blade
- Laser welding
- For universal
- Wet cutting



	Ø	Ø axle hole	Segment size	Number of segments	pieces	Order nr.	
	230 mm	22,23 mm	8x2.6x8/10 mm	16	1	RM74-LUNW23016	
	300 mm	25,4 mm	40x3.0x8/10 mm	20	1	RM74-LUNW30020	
	350 mm	25,4 mm	40x3.2x8/10 mm	24	1	RM74-LUNW35024	
	400 mm	25,4 mm	40x3.4x8/10 mm	28	1	RM74-LUNW40028	



Red Mountain® Light DIAMOND CUTTING DISCS

FOR BUILDING MATERIALS - DRY CUTTING

Diamond saw blade

- Cold-pressed segmented saw blade.
- For granite, marble, concrete, bricks...
- Dry cutting



Conform to EN13236 safety requirements.



	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	230 mm	22,23-20 mm	7/10/12 mm	2,6 mm	1	RM74-GRD23026	
	350 mm	25,4-20 mm	7/10/12 mm	3,2 mm	1	RM74-GRD35036	

FOR BUILDING MATERIALS - WET CUTTING

Diamond saw blade

- Cold-pressed segmented saw blade.
- For granite, marble, concrete, bricks...
- Wet cutting



Conform to EN13236 safety requirements.



	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	250 mm	25,4-20 mm	5/7/10 mm	2,6 mm	1	RM74-GRW25026	

FOR BUILDING MATERIALS - COLD WET & DRY CUTTING

Diamond saw blade

- Cold-pressed TURBO segmented saw blade.
- For granite, marble, concrete, bricks...
- Wet and dry cutting



Conform to EN13236 safety requirements.



	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	230 mm	22,23-20 mm	7 mm	2,8 mm	1	RM74-GRDWC230	
	350 mm	25,4-20 mm	7 mm	3,6 mm	1	RM74-GRDWC350	

Gardinery International SRL

Ferma Avicolă 8, Hala nr.1 >> Sat Gilău, Comuna Gilău >> 407310 Cluj >> ROMÂNIA

Tel. (+40) 26 455 61 11 >> info@gardinery.ro

magazin online: www.greeni-shop.eu




FOR BUILDING MATERIALS - HOT WET & DRY CUTTING

Diamond saw blade

- Hot-pressed TURBO long segmented saw blade.
- For granite, marble, concrete, bricks...
- Wet and dry cutting

Conform to EN13236 safety requirements.





	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	230 mm	22,23-20 mm	10 mm	2,8 mm	1	RM74-GRDWH230	
	350 mm	25,4-20 mm	10 mm	3,6 mm	1	RM74-GRDWH350	

"W" NET TYPE - WET & DRY CUTTING

Diamond saw blade

- Hot - Pressed "W" Net Turbo saw blade.
- For ceramic, tile, stone, brick...
- Wet and dry cutting






	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	230 mm	22,23-20 mm	10 mm	2,0 mm	1	RM74-CRDW230	

EVEN DISTRIBUTION TYPE - FOR BUILDING MATERIALS - DRY CUTTING

Diamond saw blade

- For granite, marble, concrete, brick...
- Diamond grain "Even distribution" type, greatly extend the cutting life and increase the cutting speed
- Dry cutting



	∅	∅ axle hole	Segment size	Thickness	pieces	Order nr.	
	350 mm	25,4-20 mm	10/12 mm	3,2 mm	1	RM74-OGRD350	
	400 mm	25,4-20 mm	10/12 mm	3,4 mm	1	RM74-OGRD400	

The sales conditions mentioned in our webshop greeni-shop.eu, are applied on all our articles.
R.E. Garden Machinery NV, Legen Heirweg 15, 9890 Asper, Belgium

GI034FP001EN

GARDYRUMO Lda

Rua Heróis de França Nr 2 - R/C B >> Buarcos e São Julião >> 3080-297 FIGUEIRA DA FOZ >> PORTUGAL

Tel. : +351 233 421 107 >> info@gardyrumo.pt

Da nossa loja online: www.greeni-shop.eu